

## References

### 1. Spawning

Assunção, M.G.L., Copp, G.H. & Moore, A. (2014). Changing environment: predicted effects of climate change on UK salmonid populations. *Science Series Technical Report*, Cefas Lowestoft, 76 pp.

Beaumont, W.R.C., Dear, B.E. & Ladle, M. (1992 and 1993). The efficacy of manual gravel cleaning as a means of improving salmonid spawning gravels. Reports to Ministry of Agriculture, Fisheries and Food 30 pp.

Moore, A. & Scott, A.P. (1991). Testosterone is a potent odorant in precocious male Atlantic salmon (*Salmo salar* L.) parr. *Philosophical Transactions of the Royal Society of London Series B*. **332**, 241-244.

Moore, A. & Scott, A.P. (1992).  $17\alpha,20\beta$ -dihydroxy-4-pregnen-3-one 20-sulphate is a potent odorant precocious male Atlantic salmon (*Salmo salar* L.) parr which have been pre-exposed to the urine of ovulated females. *Proceedings of the Royal Society of London Series B*. **249**, 205-209.

Moore, A. (1994). An electrophysiological study on the effects of pH on olfaction in mature male Atlantic salmon (*Salmo salar*) parr. *Journal of Fish Biology* **45**, 493-502.

Moore, A., Ives, M.J. & Kell, L.T. (1994). The role of urine in sibling recognition in Atlantic salmon (*Salmo salar* L.) parr. *Proceedings of the Royal Society of London Series B*. **255**, 173-180.

Moore, A. & Waring, C.P. (1995). Sub-lethal effects of the pesticide Diazinon on olfactory function in mature male Atlantic salmon (*Salmo salar* L.) parr. *Journal of Fish Biology* **48**, 758-775.

Moore, A. & Waring, C.P. (1996). Electrophysiological and endocrinological evidence that F-series prostaglandins function as priming pheromones in mature male Atlantic salmon parr. *Journal of Experimental Biology* **199**, 2307-2316.

Moore, A. & Waring, C.P. (1998). Mechanistic effects of a triazine pesticide on reproductive endocrine function in mature male Atlantic salmon parr. *Pesticide Biochemistry and Physiology* **62**, 41-50

Moore, A. & Waring, C.P. (2001) The effects of a synthetic pyrethroid pesticide on some aspects of reproduction in Atlantic salmon. *Aquatic Toxicology* **52**, 1-12.

Moore, A. & Lower, N. (2001). The impact of two pesticides on olfactory mediated endocrine function in mature male Atlantic salmon parr. *Comparative Biochemistry and Physiology Part B* **129**, 269-276.

Lower, N. & Moore, A. (2003). Exposure to insecticides inhibits embryo development and emergence in Atlantic salmon. *Fish Physiology and Biochemistry* **28**, 431-432.

Moore, A., Scott, A.P., Lower, N., Katsiadaki, I. & Greenwood, L. (2003). The effects of 4-nonylphenol and atrazine on Atlantic salmon (*Salmo salar* L.) smolts. *Aquaculture* **222**, 253-263.

Lower, N. & Moore, A. (2007). The effect of a brominated flame retardant on smoltification and olfactory function in Atlantic salmon (*Salmo salar* L.) smolts. *Marine and Freshwater Behaviour and Physiology* **40** (4), 267-284.

## 2. Eggs and alevins

Beaumont W.R.C., Dear B.E., Ladle M. & Welton J.S. (1994) The efficacy on manual gravel cleaning as a means of improving salmonid spawning gravels. Institute of Freshwater Ecology, Wareham, Dorset. *Report to MAFF*.

Edmonds N.J. Riley W.D. & Maxwell D.L. (2011) Predation by *Pacifastacus leniusculus* on the intra-gravel embryos and emerging fry of *Salmo salar*. *Fisheries Management and Ecology* **18**, 521-524.

Findlay J.D.S., Riley W.D. & Lucas M.C. (2015) Signal crayfish (*Pacifastacus leniusculus*) predation upon Atlantic salmon (*Salmo salar*) eggs. *Aquatic Conservation: Marine and Freshwater Ecosystems* **25**, 250-258.

Riley W.D. & Ives S. (2001) River Sediment Database for England, Wales and Northern Ireland 1978-2001, including land use data. CD publication to DEFRA, EA, CEH and contributors.

Riley W.D., Mason C., Rowlatt S.M., Maxwell D., Campbell S., Hull S. (1999) The efficacy of river channel modification in maintaining improvements in salmonid spawning gravels following cleaning: Final report to MAFF and Environment Agency, Southern Region.

Riley W.D., Potter E.C.E., Biggs J., Collins A. L., Jarvie H. P., Jones J. I., Kelly-Quinn M., Ormerod S. J., Sear D. A., Wilby R. L., Broadmeadow S., Brown C. D., Chanin P., Copp G. H., Cowx I. G., Grogan A., Hornby D. D., Huggett D., Kelly M. G., Naura M., Newman J. R., Siriwardena G. M. (2018) Small Water Bodies in Great Britain and Ireland: Ecosystem function, human-generated degradation, and options for restorative action. *Science of the Total Environment* **645**, 1598-1616.

Scott A. & Beaumont W.R.C. (1993) Improving the survival rates of Atlantic salmon (*Salmo salar* L.) embryos in a chalk stream. Institute of Fisheries Management. Annual Study Course: Cardiff 1993.

## 3. Fry

Edmonds N.J. Riley W.D. & Maxwell D.L. (2011) Predation by *Pacifastacus leniusculus* on the intra-gravel embryos and emerging fry of *Salmo salar*. *Fisheries Management and Ecology* **18**, 521-524.

Gillson J., Maxwell D.L., Gregory S.D., Posen P., Riley W.D., Picken J. & Assunção M. (in prep) Identifying important aspects of the flow regime influencing densities of juvenile (age-0+) Atlantic salmon (*Salmo salar*) and trout (*Salmo trutta*) using long-term data from UK rivers. *Freshwater Biology*.

Newman R.C., Ellis T., Davison P.I., Ives M.J, Thomas R.J., Griffiths S.W. & Riley W.D. (2015). Utilising novel methodologies to examine the impact of artificial light at night on the cortisol stress response in dispersing Atlantic salmon (*Salmo salar* L.) fry. *Conservation Physiology* **3**, doi:10.1093/conphys/cov051.

Riley W.D., Davison P.I., Maxwell D.L. & Bendall B. (2013) Street lighting delays and disrupts the dispersal of Atlantic salmon (*Salmo salar*) fry. *Biological Conservation*, **158**, 140-146.

Riley W.D., Davison P.I., Maxwell D.L., Newman R.C. & Ives M.J. (2015) A laboratory study to determine the dispersal response of Atlantic salmon (*Salmo salar*) fry to street light intensity. *Freshwater Biology* 60, 1016-1028.

Riley W.D. & Moore A. (2000) Emergence of Atlantic salmon, *Salmo salar* L., fry in a chalk stream. *Fisheries Management and Ecology* 7, 465-468.

Riley W.D., Potter E.C.E., Biggs J., Collins A. L., Jarvie H. P., Jones J. I., Kelly-Quinn M., Ormerod S. J., Sear D. A., Wilby R. L., Broadmeadow S., Brown C. D., Chanin P., Copp G. H., Cowx I. G., Grogan A., Hornby D. D., Huggett D., Kelly M. G., Naura M., Newman J. R., Siriwardena G. M. (2018) Small Water Bodies in Great Britain and Ireland: Ecosystem function, human-generated degradation, and options for restorative action. *Science of the Total Environment* 645, 1598-1616.

#### 4. Parr

Fernandes W.P.A., Copp G.H. & Riley W.D. (2016) Autumn microhabitat breadth differs between family groups of Atlantic salmon parr (*Salmo salar*) in a small chalk stream. *Ecology of Freshwater Fish* 25, 38–47.

Fernandes W.P.A., Griffiths S.W., Ibbotson A.T., Bruford M.W. & Riley W.D. (2015) The role of density and relatedness in wild juvenile Atlantic salmon growth. *Journal of Zoology* 295, 56-64.

Fernandes W.P.A., Griffiths S.W., Ibbotson A.T. & Riley W.D. (2017) Relatedness and body size influence territorial behaviour in *Salmo salar* juveniles in the wild. *Fisheries Management and Ecology* 24, 347-351.

Gregory S.D., Nevoux M., Riley W.D., Beaumont W.R.C., Jeannot N., Lauridsen R.B., Marchand F., Scott L.J. & Roussel J-M. (2017) Patterns on a parr: drivers of long-term salmon parr length in UK and French rivers depends on geographical scale. *Freshwater Biology* 62, 1117-1129.

Ibbotson A.T., Riley W.D., Beaumont W.R.C., Cook A.C., Ives M.J., Pinder A.C. & Scott L.J. (2013) The source of autumn and spring downstream migrating juvenile Atlantic salmon in a small lowland river. *Ecology of Freshwater Fish* 22, 73-81.

Pinder A.C., Riley W.D., Ibbotson A.T. & Beaumont W.R.C. (2007) Evidence for an autumn downstream migration and the subsequent estuarine residence of 0+ juvenile Atlantic salmon, *Salmo salar* L., in England. *Journal of Fish Biology* 71, 260-264.

Riley W.D., Davison P.I., Ives M.J. & Maxwell D.L. (2013) Do triploid *Salmo trutta* stocked into a chalk stream in the spring prey on wild *Salmo salar* smolts? *Fisheries Management and Ecology* 20, 346-353.

Riley W.D., Ibbotson A.T. & Beaumont W.R.C. (2009) Adult returns from Atlantic salmon, *Salmo salar* L., parr autumn migrants. *Fisheries Management and Ecology* 16, 75-76.

Riley W.D., Ibbotson A.T., Lower N., Cook A.C., Moore A., Mizuno S., Pinder A.C., Beaumont W.R.C. & Privitera L. (2008) Physiological seawater adaptation in juvenile Atlantic salmon, *Salmo salar* L autumn migrants. *Freshwater Biology* 53, 745-755.

Riley W.D., Ives M.J., Pawson M.G. & Maxwell D.L. (2006) Seasonal variation in habitat use by salmon (*Salmo salar* L.), trout (*Salmo trutta* L.) and grayling (*Thymallus thymallus* L.) in a chalk stream. *Fisheries Management and Ecology* 13, 221-236.

Riley W.D., Maxwell D.L., Pawson M.G. & Ives M.J. (2009) The effects of low summer flow on wild salmon (*Salmo salar*) trout (*Salmo trutta*) and grayling (*Thymallus thymallus*) in a small stream. *Freshwater Biology* 54, 2581-2599.

Riley W.D. & Pawson M.G. (2010) Habitat Requirements for Juvenile Salmonids in Chalk Streams: How will Management Best Address Conflicting Interests? In: P. Kemp (ed.) *Salmonid Fisheries: Freshwater Habitat Management*. Blackwell Publishing Ltd., pp. 242-262.

Riley W.D., Pawson M.G. Quayle V. & M.J. Ives (2009) The effects of stream canopy management on macroinvertebrate communities and juvenile salmonid production in a chalk stream. *Fisheries Management and Ecology* 16, 100-111.

Riley W.D., Potter E.C.E., Biggs J., Collins A.L., Jarvie H.P., Jones J.I., Kelly-Quinn M., Ormerod S.J., Sear D.A., Wilby R.L., Broadmeadow S., Brown C.D., Chanin P., Copp G.H., Cowx I.G., Grogan A., Hornby D.D., Huggett D., Kelly M.G., Naura M., Newman J.R. & Siriwardena G.M. (2018) Small Water Bodies in Great Britain and Ireland: Ecosystem function, human-generated degradation, and options for restorative action. *Science of the Total Environment* 645, 1598-1616.

Russell I., Aprahamian M., Barry J., Davidson I., Fiske P., Ibbotson A., Kennedy R., Maclean J., Moore A., Otero J., Potter T. & Todd C.D. (2012) The influence of the freshwater environment and the biological characteristics of Atlantic salmon smolts on their subsequent marine survival. *ICES Journal of Marine Science* 69, 1563-1573.

## 5. Smolts

Fairchild, W.L., Brown, S.B. & Moore, A. (2002). Effects of freshwater contaminants on marine survival in Atlantic salmon. *NPAFC Technical Report No. 4*. 30-32.

Fernandes W.P.A., Ibbotson A.T., Griffiths S.W., Maxwell D.L., Davison P.I. & Riley W.D. (2015) Does relatedness influence migratory timing and behaviour in Atlantic salmon, *Salmo salar*, smolts? *Animal Behaviour* 106, 191-199.

Gregory S.D., Lauridsen R.B., Beaumont W.R.C. & Riley W.D. (2017) Length of Atlantic salmon smolt and their subsequent marine survival. The Atlantic Salmon Trust & The Tweed Foundation Conference: From Headwaters to Headlands; Improving smolt survival in rivers and estuaries. Berwick-Upon-Tweed. 14<sup>th</sup> & 15<sup>th</sup> March 2017.

Gregory S.D., Lauridsen R.B., Beaumont W.R.C. & Riley W.D. (2016) Length of Atlantic salmon smolt and their subsequent marine survival. ICES Annual Science Conference. Riga, Latvia. 19<sup>th</sup> – 23<sup>rd</sup> September 2016.

Holm, M., Holst, J.C., Hansen, L.P., Jacobsen, J.A., Ó Maoiléidigh, N. & Moore, A. (2003). Migration and distribution of Atlantic salmon post-smolts in the North Sea and North-east Atlantic. In *Salmon at the Edge* (Mills, D., ed.), pp. 7-23. Oxford: Fishing News Books.

Lower, N. & Moore, A. (2007). The impact of a brominated flame retardant on smoltification and olfactory function in Atlantic salmon smolts. *Marine and Freshwater Behaviour and Physiology* 40, 267-284.

Moore, A. Russell, I.C. & Potter, E.C.E. (1990). The effects of intraperitoneally implanted dummy acoustic transmitters on the physiology and behaviour of Atlantic salmon parr. *Journal of Fish Biology* 37, 713-721.

- Moore, A., Russell, I.C. & Potter, E.C.E. (1990) Preliminary results from the use of a new technique for tracking the estuarine movements of Atlantic salmon smolts. *Aquaculture and Fisheries Management* 21, 369-371.
- Moore, A., Potter, E.C.E. and Buckley, A.A. (1992). Estuarine behaviour of migrating Atlantic salmon smolts. In: *Wildlife Telemetry*. Ed: Priede and Swift. pp 390-399.
- Moore, A. & Potter, E.C.E. (1993). Surveying and Tracking Salmon in the Sea. Atlantic Salmon Trust Blue Book. Pitlochry, Scotland.
- Moore, A., Potter, E.C.E., Milner, N.J. & Bamber, S. (1995). The migratory behaviour of wild Atlantic salmon smolts in the estuary of the River Conwy, North Wales. *Canadian Journal of Fisheries and Aquatic Sciences*. 52 (9), 1923-1935.
- Moore, A., Stonehewer, R., Kell, L.T., Challiss, M.J., Ives, M. Russell, I.C. Riley, W.D. & Mee, D.M. (1996). The movements of emigrating salmonid smolts in relation to the Tawe barrage, Swansea. In: *Barrages: Engineering Design & Environmental Impacts*. (N. Burt & J. Watts eds.) HR Wallingford Ltd. John Wiley & Sons Ltd. pp. 409-417.
- Moore, A. *et al.* (1998). The migratory behaviour of wild Atlantic salmon (*Salmo salar* L.) smolts in the River Test and Southampton Water. *Hydrobiology* 371/372, 295-304.
- Moore, A., Scott, A.P., Lower, N., Katsiadaki, I. & Greenwood, L. (2003). The effects of 4-nonylphenol and atrazine on Atlantic salmon (*Salmo salar* L.) smolts. *Aquaculture*. 222, 253-263.
- Moore, A, Lower, N., Mayer, I. & Greenwood, L. (2007). The impact of a pesticide on migratory activity and olfactory function in Atlantic salmon (*Salmo salar* L.) smolts. *Aquaculture* 273, 350-359.
- Moore, A., Cotter, D., G. Rogan, V. Quayle, Lower, N. & Privitera, L. (2008). The impact of a pesticide on the physiology and behaviour of hatchery reared salmon smolts during the transition from the freshwater to marine environment. *Fisheries Management and Ecology* 15, 339-345.
- Moore, A., Privitera, L. & Riley, W.D. (2013). The behaviour and physiology of migrating Atlantic salmon. In: *Physiology and Ecology of Fish Migration* (Ueda, H and Tsukamoto, K. Eds.) pp.28-56. CRC Press, Boca Rato, London and New York.
- Riley W.D., Ibbotson A.T., Maxwell D.L., Davison P.I., Beaumont W.R.C., & Ives M.J. (2014) Development of schooling behaviour during the downstream migration of Atlantic salmon *Salmo salar* smolts in a chalk stream. *Journal of Fish Biology*, 85, 1042-1059.
- Riley W.D., Davison P.I., Ives M.J. & Maxwell D.L. (2013) Do triploid *Salmo trutta* stocked into a chalk stream in the spring prey on wild *Salmo salar* smolts? *Fisheries Management and Ecology* 20, 346-353.
- Riley W.D., Maxwell D.L., Ives M.J. & Bendall B. (2012) Some observations on the impact of temperature and low flow on the onset of downstream movement of wild Atlantic salmon, *Salmo salar* L., smolts. *Aquaculture*, 362-363, 216-223.
- Riley W.D., Bendall B., Ives M.J., Edmonds N.J. & Maxwell D.L. (2012) Street lighting disrupts the diel migratory pattern of wild Atlantic salmon, *Salmo salar* L., smolts leaving their natal stream. *Aquaculture*, 330-333, 74-81.

Riley W.D., Ibbotson A.T., Beaumont W.R.C., Pawson M.G., Cook A.C. & Davison P.I. (2011) Predation of the juvenile stages of diadromous fish by sea bass (*Dicentrarchus labrax*) in the tidal reaches of an English chalk stream. *Aquatic Conservation: Marine and Freshwater Ecosystems* 21, 307-312.

Riley W.D. (2007) Seasonal downstream movements of juvenile Atlantic salmon, *Salmo salar* L., with evidence of solitary migration of smolts. *Aquaculture* 273 (2-3), 194-199.

Riley W.D., Eagle M.O. Ives S.J. (2002) The onset of downstream movement of juvenile Atlantic salmon, *Salmo salar* L., in a chalk stream. *Fisheries Management and Ecology*, 9 (2), 87-94.

Russell, I.C., Moore, A., Ives, S., Kell, L.T., Ives, S. & Stonehewer, R.O. (1998) The migratory behaviour of juvenile and adult salmonids in relation to an estuarine barrage. *Hydrobiology*. 371/372, 321-333.

Thorpe, J.E. & Moore, A. (1997). The migratory behaviour of juvenile Atlantic salmon. In: *Memoirs of the Faculty of Fisheries, Hokkaido University*, 44 (1) Special Edition 1, 39-45.

Thorstad, E.B., Whoriskey, F., Uglem, I., Moore, A., Rikardsen, A.H. & Finstad, B. (2012) A critical life stage of the Atlantic salmon *Salmo salar*: behaviour and survival during the smolt and initial post-smolt migration *Journal of Fish Biology* 81, 500–542.

Thorstad, E.B., Uglem, I., Finstad, B., Krogglund, F., Ingibjörg, E.I., Kristensen, T., Diserud, O., Arechavala-Lopez, P., Mayer, I., Moore, A., Nilsen, R., Björnsson, B.T. & Økland, F. (2013). Reduced marine survival of hatchery Atlantic salmon post-smolts exposed to aluminium and moderate acidification in freshwater. *Estuarine, Coastal and Shelf Science*. 124, 34-43.

**Waring, C. & Moore, A. (2004). The effect of atrazine on Atlantic salmon (*Salmo salar*) smolts in fresh water and after sea water transfer. *Aquatic Toxicology* 66, 93-104.**

Wilzbach, M., Mather, M.E., Folt, C.L., Moore, A., Naiman, R.J., Youngson, A. & McMenemy, J. (1999) Proactive responses to human impacts that balance development and Atlantic salmon conservation: an integrative model. *Canadian Journal of Fisheries and Aquatic Sciences*. 55, 303-311.

## 6. Salmon in the Sea

Antonsson, T., Heidarsson, T. and Snorrason, S.S. (2010). Smolt emigration and survival to adulthood in two Icelandic stocks of Atlantic salmon. *Transactions of the American Fisheries Society*, 139: 1688–1698.

Beaugrand, G. and Reid, P.C. (2003). Long term changes in phytoplankton, zooplankton and salmon related to climate. *Global Change Biology* 9: 801-817.

Beaugrand, G. and Reid, P.C. (2012). Relationships between North Atlantic salmon, plankton and hydroclimatic change in the Northeast Atlantic. *ICES Journal of Marine Science* 69(9): 1549-1562.

Dickson, R.R. and Turrell, W.R. (1999). The NAO: the dominant atmospheric process affecting oceanic variability in home, middle and distant waters of European Atlantic salmon. In: *The Ocean Life of Atlantic Salmon* (ed. D. Mills). Fishing News Books, Oxford, pp. 92-115.

Friedland, K.D., Hansen, L.P., Dunkley, D.A. and MacLean, J.C. (2000). Linkage between ocean climate, post-smolt growth and survival of Atlantic salmon (*Salmo salar* L.) in the North Sea area. *ICES Journal of Marine Science* 57: 419-429.

Friedland, K.D., Chaput, G. and Maclean, J.C. (2005). The emerging role of climate in post-smolt growth of Atlantic salmon. *ICES Journal of Marine Science* 62: 1338-1349.

Friedland, K.D., MacLean, J.C., Hansen, L.P., Peyronnet, A.J., Karlsson, L., Reddin, D.G., Ó Maoiléidigh, N. and McCarthy, J.L. (2009a). The recruitment of Atlantic salmon in Europe. *ICES Journal of Marine Science* 66: 289-304.

Friedland, K.D., Shank, B.V., Todd, C.D., McGinnity, P. and Nye, J.A. (2014) Differential response of continental stock complexes of Atlantic salmon (*Salmo salar*) to the Atlantic Multidecadal Oscillation. *Journal of Marine Systems* 133: 77-87.

Hansen, L.P., Holm, M., Holst, J.C., and Jacobsen, J.A. (2003). The ecology of post-smolts of Atlantic salmon. In *Salmon at the Edge*, pp. 25–39. Ed. by D. Mills. Blackwell Science, Oxford. 307pp.

Holm, M., Holst, J.C. and Hansen, L.P. (2000). Spatial and temporal distribution of post-smolts of Atlantic salmon (*Salmo salar* L.) in the Norwegian Sea and adjacent areas. *ICES Journal of Marine Science* 57: 955–964.

ICES - International Council for the Exploration of the Sea (2017b). Report of the Workshop on Potential Impacts of Climate Change on Atlantic Salmon Stock Dynamics (WKCCISAL), 27-28 March 2017, Copenhagen, Denmark. ICES CM 2017/ACOM:39, 86pp.

Jonsson, N. and Jonsson, B. (2004). Size and age at maturity of Atlantic salmon correlate with the North Atlantic Oscillation Index (NAOI). *Journal of Fish Biology* 64: 241-247.

Jonsson, B. and Jonsson, N. (2009). A review of the likely effects of climate change on anadromous Atlantic salmon *Salmo salar* and brown trout *Salmo trutta*, with particular reference to water temperature and flow. *Journal of Fish Biology* 75: 2381-2447.

Mills, K.E., Pershing, A., Sheehan, T.F. and Mountain, D. (2013). Climate and ecosystem linkages explain the widespread decline in North American Atlantic salmon populations. *Global Change Biology*, 19: 3046–3061.

Renkawitz, M.D., Sheehan, T.F., Dixon, H.J. and Nygaard, R. (2015). Changing trophic structure and energy flow in the Northwest Atlantic: implications for Atlantic salmon feeding at West Greenland. *Marine Ecology Progress Series*, 538: 197–211.

Russell, I.C., Aprahamian, M.W., Barry, J., Davidson, I.C., Fiske, P., Ibbotson, A.T., Kennedy, R.J., Maclean, J.C., Moore, A., Otero, J., Potter, E.C.E. and Todd, C.D. (2012). The influence of the freshwater environment and the biological characteristics of Atlantic salmon smolts on their subsequent marine survival. *ICES Journal of Marine Science* 69(9): 1563-1573.

Thorstad, E.B., Whoriskey, F.G., Rikardsen, A.H. and Aarestrup, K. (2011a). Aquatic nomads: the life and migrations of the Atlantic salmon. In *Atlantic Salmon Ecology* (Aas, Ø., Einum, S., Klemetsen, A. and Skurdal, J. eds), pp. 1–32. Oxford: Wiley- Blackwell.

Thorstad, E.B., Whoriskey, F., Uglem, I., Moore, A., Rikardsen, A.H. and Finstad, B. (2012b). A critical life stage of the Atlantic salmon *Salmo salar*: behaviour and survival during the smolt and initial post-smolt migration. *Journal of Fish Biology* 81: 500–542.

Todd, C.D., Hughes, S.L., Marshall, C.T., MacLean, J.C., Lonergan, M.E. and Biuw, E.M. (2008). Detrimental effects of recent ocean surface warming on growth condition of Atlantic salmon. *Global Change Biology* 14: 958-970.

Todd, C.D., Friedland, K.D., MacLean, J.C., Hazon, N. and Jensen, A.J. (2011). Getting into hot water? Atlantic salmon responses to climate change in freshwater and marine environments. In: *Atlantic Salmon Ecology* (Aas, Ø., Einum, S., Klemetsen, A. and Skurdal, J. eds), pp. 409–444. Oxford: Wiley-Blackwell.

## **7. Spawning migration**

Hasler, A.D. and A.T. Scholz. 1983. *Olfactory imprinting and homing in Salmon*. Springer-Verlag, New York.

Moore, A. and A.P. Scott. 1991. Testosterone is a potent odorant in precocious male Atlantic salmon (*Salmo salar* L.) parr. *Philosophical Transactions of the Royal Society of London B* 332, 241–244.

Moore, A. and C.P. Waring. 1996. Electrophysiological and endocrinological evidence that F-series prostaglandins function as priming pheromones in mature male Atlantic salmon parr. *Journal of Experimental Biology* 199, 2307–2316.

Moore, A. and C.P. Waring. 1996. Sublethal effects of the pesticide Diazinon on olfactory function in mature male Atlantic salmon (*Salmo salar* L.) parr. *J. Fish Biol.* 48: 758–775.

Moore, A. and C.P. Waring. 1998. Mechanistic effects of a triazine pesticide on reproductive endocrine function in mature male Atlantic salmon parr. *Pesticide Biochemistry and Physiology* 62, 41–50.

Moore, A. and N. Lower. 2001. The impact of two pesticides on olfactory mediated endocrine function in mature male Atlantic salmon parr. *Comparative Biochemistry and Physiology B* 129, 269–276.

Moore, A. and C.P. Waring. 2001. The effects of a synthetic pyrethroid pesticide on some aspects of reproduction in Atlantic salmon (*Salmo salar* L.). *Aquatic Toxicology* 52(1), 1–12.

Bendall, B., Moore, A., Maxwell, D., Davison, P., Edmonds, N., Archer, D., Solomon, D., Greest, V., Wyatt, R. & Broad, K. (2012). Modelling the migratory behavior of salmonids in relation to environmental and physiological parameters using telemetry data. *Fisheries Management and Ecology* 19, 475-483.

Moore, A., Bendall, B., Barry, J., Waring, C.P., Crooks, N. & Crooks, L. (2012) River temperature and adult anadromous Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*. *Fisheries Management and Ecology* 19, 518-526.

Moore, A., Privitera, L. & Riley, W.D. (2013). The behaviour and physiology of migrating Atlantic salmon. In: *Physiology and Ecology of Fish Migration* (Ueda, H. and Tsukamoto, K. Eds.) pp.28-56. CRC Press, Boca Rato, London and New York.